

DJO INTERNATIONAL:

ASIA-PACIFIC:

DJO Asia-Pacific Limited
Unit 1905, 19/F, Tower II
Grand Central Plaza
138 Shatin Rural Committee Road
Shatin
HONG KONG
Tel: +852 3105 2237
Fax: +852 3105 1444
Email: info.asia@DJOglobal.com

CANADA:

DJO Canada
6485 Kennedy Road
Mississauga
Ontario
L5T 2W4
CANADA
Tel: +1 1866 866 5031
Fax: +1 1866 866 5032
Email: canada.orders@DJOglobal.com

GERMANY:

ORMED-DJO Germany GmbH
Merzhauser Str. 112
D-79100 Freiburg
GERMANY
Tel: +49 761 4566 251
Fax: +49 761 4566 55251
Email: info@ormed.de

UK & IRELAND:

DJO UK Ltd.
7 The Pines Business Park
Broad Street
Guildford
Surrey
GU3 3BH
ENGLAND
Tel: +44 (0)1483 459 659
Fax: +44 (0)1483 459 470
Email: ukorders@DJOglobal.com

AUSTRALIA:

DJO Australia
PO Box 2057
Normanhurst
NSW 2076
AUSTRALIA
Tel: +1300 66 77 30
Fax: +1300 66 77 40
Email: service@djortho.com.au

DENMARK, FINLAND, NORWAY & SWEDEN:

DJO Nordic AB
Murmansgatan 126
21225 Malmö
SWEDEN
Tel Sweden: 040 39 40 00
Tel Norway: 8006 1052
Tel Finland: 0800 114 582
Tel Denmark: +46 40 39 40 00
Email: info.nordic@DJOglobal.com

ITALY:

DJO Italia Srl
Via Leonardo Da Vinci 97
Trezzano Sul Naviglio
20090 Milano
ITALY
Tel: +39 02 484 63386
Fax: +39 02 484 09217
Email: it.info@DJOglobal.com

UNITED STATES:

DJO, LLC
1430 Decision Street
Vista
CA 92081-8553
U.S.A.
Tel: 1 800 336 6569
Fax: 1 800 936 6569

BENELUX:

DJO Benelux
Welvaartstraat 8
2200 Herentals
BELGIUM
Tel Belgium: 0800 18 246
Tel Netherlands: 0800 0229442
Tel Luxemburg: 8002 27 42
Email: benelux.orders@DJOglobal.com

FRANCE:

DJO France S.A.S.
Centre Européen de Fret
Mouguerre
64990
FRANCE
Tel: +33 (0)5 59 52 86 90
Fax: +33 (0)5 59 52 86 91
Email: sce.cial@DJOglobal.com

SPAIN & PORTUGAL:

DJO Ibérica
Carretera de Cornellá 144, 1º 4ª
Esplugues de Llobregat
08950 Barcelona
SPAIN
Tel: +34 943 638 167
Fax: +34 943 638 174
Email: svc.cial@DJOglobal.com

DJO EXPORT:

ASIA-PACIFIC:

DJO Asia-Pacific Limited
Unit 1905, 19/F, Tower II
Grand Central Plaza
138 Shatin Rural Committee Road
Shatin
HONG KONG
Tel: +852 3105 2237
Fax: +852 3105 1444
Email: info.asia@DJOglobal.com

EUROPE, MIDDLE EAST, AFRICA EXPORT DJO CHATTANOOGA EUROPE:

Welvaartstraat 8
2200 Herentals
BELGIUM
Tel: +32 (0) 14248350
Fax: +32 (0) 14248358
Email: info.emea@DJOglobal.com

LATIN AMERICA:

DJO, LLC
1430 Decision Street
Vista
CA 92081-8553
U.S.A.
Tel: 1 800 336 6569
Fax: 1 800 936 6569
Email: info.latam@DJOglobal.com



Intelect® Vet | 2011



INTRODUCTION



Chattanooga is the world's largest manufacturer of rehabilitation equipment for treating musculoskeletal, neurological and soft tissue disorders. For over six decades, Chattanooga has set a benchmark for leadership, reliability and excellence. Our products contribute to better treatment outcomes in hospitals, clinics and home settings worldwide. We lead the physiotherapy industry by example and, through continuous innovation, provide real world solutions for clinicians and their patients.

As the world's leading brand in rehabilitation, Chattanooga is sold in over 80 countries worldwide. Chattanooga is directly represented in our key markets but also has long lasting relationships with dedicated distributors in the USA, Canada, Latin America, EMEA and Asia Pacific. Our Chattanooga distributors and customers are supported for order placement, training, product delivery and after sales service by a dedicated team of highly skilled DJO employees based all over the world.

Chattanooga is a brand of DJO Incorporated. DJO is a leading global developer, manufacturer and distributor of high-quality medical devices that provide solutions for musculoskeletal health, vascular health and pain management. The company's brands address the continuum of patient care from injury prevention to rehabilitation after surgery, injury or degenerative disease.



AIRCAST

ARTROMOT®

CefarCompex®

chattanooga

Compex®

DJO
surgical

DONJOY

Empi

PROCARE

The Physical Therapy Solution for the Veterinary Market

Chattanooga, the world's largest manufacturer of rehabilitation equipment for treating musculoskeletal, neurological and soft tissue disorders, proudly brings their innovative products to the animal market.

From the original Hydrocollator HotPacs and heating units that Chattanooga Group pioneered 60 years ago, to the revolutionary advancements found in the Intellect Vet system, no other company knows physical therapy and rehabilitation like Chattanooga.



Clinical Indications for Dogs and Horses

Electrotherapy

- Muscle strengthening
- Wound healing
- Edema
- Pain control
- Increase circulation
- Fracture healing

Ultrasound Therapy

- Increase Circulation
- Wound healing
- Increase soft tissue mobility
- Decrease tendon and ligament inflammation

Laser Therapy

- Increase circulation
- Wound healing
- Tendonitis
- Pain control
- Decrease tendon and ligament inflammation



ORDERING INFORMATION

Part Number Description

Intellect Vet

2756 Intellect Vet Color Combo

Standard Accessories

27465 Patient Data Card (1x)
 28501 5 cm² Ultrasound Applicator
 42192 Dura-Stick[®] Plus 5 cm round electrodes (4x)
 4248 Ultrasound gel
 27455 User Manual on CD

Optional Accessories

2767 Battery Module
 2766 Laser Therapy Module
 2770 Channel 3/4 Stimulation Module
 28525 1 cm² Applicator
 28495 2 cm² Applicator
 28528 10 cm² Applicator
 27133 Intellect Advanced Carrying Bag
 2775ASY Therapy System Cart
 79977 HiVolt Probe
 57007 Microcurrent Probe
 27525 Laser Protection Glasses (2x)
 27900K Remote Interlock Kit
 10648 Nylatex Wrap
 79967 6 x 8 cm carbon electrodes (4x)
 79970 6 x 8 cm sponges (4x)

INTELECT[®] VET

Intellect Vet is a revolutionary product for veterinarians who provide physical therapy to animals by offering four therapy modalities in one system:

- Electrical stimulation
- Ultrasound
- Combination stim and ultrasound
- Laser therapy

Intellect Vet is designed to be fully functional in the clinic or to be used in an environment where mobility is a must. An optional battery module is available, allowing therapy to be performed away from outlets. With the optional carry bag, transport and storage of the unit and accessories are easy.

FEATURES

- 5 clinical waveforms
- 2 independent electrotherapy channels
- High resolution color display of all screens
- Over 100 Clinical Protocols
- Over 100 User-defined protocol slots
- Impressive clinical library which includes full color graphic anatomical and pathological libraries on vibrant LCD screen
- 1 & 3 Mhz ultrasound frequencies
- Pulsed & Continuous Modes
- Ergonomically designed sound heads in 1 cm², 2 cm², 5 cm² & 10 cm² sizes
- Sound head coupling features with both visual & audio feedback
- 3 year warranty










TECHNICAL SPECIFICATIONS

Mains Power:	100-240 VAC, 50-60 Hz
Weight:	3.2 kg
Dimensions*:	33 x 24 x 29 cm
Electrical Safety Class:	Class I, Electrotherapy Type BF, Ultrasound Type B
Safety Tests:	IEC 60601-1 IEC 60601-1-2 IEC 60601-2-5 IEC 60601-2-10

* Dimensions are listed as L x W x H

WAVEFORMS

	INTERFERENTIAL <ul style="list-style-type: none"> • Four Pole • Manual Vector Scan • Two Pole (Premodulated)
	RUSSIAN <ul style="list-style-type: none"> • Continuous • Cycle Timed
IONTOPHORESIS	
	VMS <ul style="list-style-type: none"> • Continuous • Cycle timed • Burst
	HIGH VOLTAGE PULSED CURRENT
	ULTRASOUND <ul style="list-style-type: none"> • 1 and 3 MHz



ORDERING INFORMATION

Part Number Description

Laser Module

2766 Laser Therapy Module

Standard Accessories

27525 Laser Protection Glasses (2x)

27455 User Manual on CD

Optional Accessories

27900K Remote Interlock Kit

Laser Applicators

Singles

27799 670nm LED Diode 10mW

27803 850nm Laser Diode 40mW

27840 850nm Laser Diode 100mW

27804 850nm Laser Diode 150mW

27841 850nm Laser Diode 200mW

27805 820nm Laser Diode 300mW

9 Diode Cluster

27810 9 Diode Cluster Applicator, 290mW Total: 5 x 850nm 50mW Lasers, 4 x 670nm 10mW LED

27811 9 Diode Cluster Applicator, 540mW Total: 5 x 850nm 100mW Lasers, 4 x 670nm 10mW LED

27812 9 Diode Cluster Applicator, 1040mW Total: 5 x 850nm 200mW Lasers, 4 x 670nm 10mW LED

13 Diode Cluster

27813 13 Diode Cluster Applicator, 265mW Total: 3 x 850nm 50mW Lasers, 7 x 670nm 10mW LED, 3 x 950nm 15mW LED

27814 13 Diode Cluster Applicator, 415mW Total: 3 x 850nm 100mW Lasers, 7 x 670nm 10mW LED, 3 x 950nm 15mW LED

27816 13 Diode Cluster Applicator, 715mW Total: 3 x 850nm 200mW Lasers, 7 x 670nm 10mW LED, 3 x 950nm 15mW LED

19 Diode Cluster

27815 19 Diode Cluster Applicator, 325mW Total: LED only, 6 x 670nm 10mW LED, 7 x 880nm 25mW LED, 6 x 950nm 15mW LED

33 Diode Cluster

27809 33 Diode Cluster Applicator, 565mW Total: LED only, 12 x 670nm 10mW LED, 13 x 880nm 25mW LED, 8 x 950nm 15mW LED

27802 33 Diode Cluster Applicator, 690mW Total: 5 x 850nm 50mW Lasers, 12 x 670nm 10mW LED, 8 x 880nm 25mW LED, 8 x 950nm 15mW LED

27807 33 Diode Cluster Applicator, 940mW Total: 5 x 850nm 100mW Lasers, 12 x 670nm 10mW LED, 8 x 880nm 25mW LED, 8 x 950nm 15mW LED

27808 33 Diode Cluster Applicator, 1440mW Total: 5 x 850nm 200mW Lasers, 12 x 670nm 10mW LED, 8 x 880nm 25mW LED, 8 x 950nm 15mW LED

LASER MODULE




FEATURES

Low Level Laser Therapy

- Display of energy in choice of joules or joules/cm²
- Continuous and pulsed treatment modes with fully variable pulsed frequencies
- Real time feedback of energy delivered
- Wide variety of LED, Laser Diodes, & Cluster Probes available

The laser module has to be connected to the Intellect Vet color combo

 Visible and invisible laser radiation. Avoid direct exposure to beam. Class 3B Laser Product.

TECHNICAL SPECIFICATIONS

Weight: 1 kg (laser module only)

Dimensions*: 26 x 21 x 4 cm

Electrical Safety Class: Class 1, Type B

Safety Tests: IEC 60601-1, IEC 60825-1, EN 60601-2-22

* Dimensions are listed as L x W x H



BATTERY AND CHANNEL 3/4 STIM MODULES



Battery Module



Channel 3/4 Stimulation Module



FEATURES

Battery Module

- Nickel Metal Hydride battery self contained in packs of 10 cells
- Battery automatically and continually charges when Intellect Vet unit is plugged into mains supply

Channel 3/4 Stimulation Module

- 4 independent channels available on both Intellect Advanced Electrotherapy and Combination devices to upgrade unit from 2 channels

ORDERING INFORMATION

Part Number	Description
-------------	-------------

Battery Module

2767	Battery Module
------	----------------

Standard Accessories

27455	User Manual on CD
-------	-------------------

4 Channel Stim Module

2770	Channel 3/4 Stimulation
------	-------------------------

27019	Dual Connector Cover
-------	----------------------

27455	User Manual on CD
-------	-------------------

Optional Accessories

79967	6 x 8 cm Carbon Electrodes (4x)
-------	---------------------------------

79970	6 x 8 cm Sponges (4x)
-------	-----------------------

10648	Nylatex Wrap
-------	--------------

TECHNICAL SPECIFICATIONS

Channel 3/4 Stimulation

Weight:	0.5 kg
---------	--------

Dimensions*:	30 x 21 x 4 cm
--------------	----------------

Electrical Safety Class:	Class I, Type BF
--------------------------	------------------

Safety Tests:	IEC 60601-1, IEC 60601-1-2, IEC 60601-2-10
---------------	--

Battery Module

Weight:	1.3 kg
---------	--------

Dimensions*:	30 x 21 x 4 cm
--------------	----------------

Electrical Safety Class:	Class I, Type BF
--------------------------	------------------

Safety Tests:	IEC 60601-1, IEC 60601-1-2
---------------	----------------------------

* Dimensions are listed as L x W x H

